

MAJESTY 100 Standard Specifications & Optional Features

The content of this document is the property of Gulf Craft

It is supplied in confidence and its contents must be maintained

It must not be reproduced, modified, and must not to be used for any purpose other than that for which it is supplied, nor information contained be disclosed to unauthorized persons

Requests for reproduction of any data in this document must be addressed to the copyright owners of Gulf Craft
© Gulf Craft Inc 2021. All Rights Reserved

1



	B 1 6 1 1	A 100 A	-		
MAI	мсн	$\Delta R \Delta$	CTER	ISTI	

DIMENSIONS

	Feet-In	Meters
Length Overall	108′ – 4″	33.045
Length Water Line	89' – 3"	27.214
Draft	5' – 5"	1.672
Maximum Beam	22' – 6"	6.90
Air Draft	37' – 9"	11.572

DESIGN

Hull Type Mono Hull

Hull MaterialFiber Reinforced Plastics (FRP)Superstructure MaterialFiber Reinforced Plastics (FRP)

Yacht TypeMotor YachtNumber of Guests10 + 2 (Pullman)Number of Crew5 + 1 (Pullman)Displacement136 tons approx.

Gross Tonnage 199 GT

Classification RINA Commercial

Statutory Regulation Red Ensign Group Yacht Code Part A

(Short Range)

TANK CAPACITIES

	US. Gallons	Liters
Fuel Capacity	4,000	15,142
Fresh Water Capacity	800	3,028
Grey Water Capacity	200	757
Black Water Capacity	200	757

MACHINERY

Engines Twin MAN V12-1900, 1874 HP, 1397 kW, 2300

RPM combined with SCR (Compliance to IMO Tier

III)

Generators Twin 55kW, 230/400V AC, 50 Hz, 3~phase

Power System Electrical, 230-400V AC, 50Hz, 3~phase, 24V DC

PERFORMANCE

Top Speed 20 knots*
Cruising Speed 12 knots*
Maximum Range @ 12 knots 1,300 NM*

^{*}Speeds and range estimates may vary depending on cleanliness of hull, and sea conditions



OPTIONS

The options selected from the below list and any additional requirement shall be considered as a variation and upon confirmation shall become a part of Work Order.

- 1. Yacht name
- 2. Aft search light
- 3. Jacuzzi on sundeck aft
- 4. Awning on sundeck aft
- **5.** Awning on fore deck
- **6.** Coffee machine in main galley
- 7. PABX Intercom Telephone System
- 8. Satellite phone
- 9. Sewage treatment plant with treating capacity of 3200 liters/day
- 10. Fuel purification system
- 11. Isolation transformer or Shore power converter
- 12. Electrohydraulic transformer
- **13.** Electrohydraulic tender lift with 1,200 kg lifting capacity with stainless steel sliding rail from garage to swim platform
- 14. Electrohydraulic Passarella
- **15.** Fresh water sterilizing system (Mandatory for commercial class)
- 16. Commercial class essential package (Extra telecom, Navigation & Safety equipment's as per CISR)
 - a) Spare magnetic compass
 - b) Hand bearing compass
 - c) BNWAS
 - d) Daylight signaling lamp
 - e) Speed and distance measuring equipment with respect to water
 - f) Two wind transducers integrated with instrument display on main helm station
 - g) NAVTEX
 - h) GMDSS Batteries and battery charger
 - i) Two fireman's outfit and breathing apparatus
 - j) Two explosion proof walkie talkies for fire fighting
 - k) Jason cradle
- 17. Hydraulic Stern Thruster
- **18.** Repeater dashboard instrumentation at main helm.
- 19. Side mount ladder
- 20. Williams TurboJet 325 or Two-Seater Jet ski



- **21.** Cradle for tender/jet ski
- 22. Platform rails and chocks for Tender and Jet ski
- 23. Electric patio door at main deck
- 24. Electric patio door at sky lounge
- 25. Heated flooring for all guest and owner bathroom.
- 26. Electrical towel heaters for all toilets except day head
- 27. Sauna at LD starboard side twin guest bathroom
- **28.** Corner cupboards on port and stbd at main saloon
- 29. Pop-up lights 6 pcs at the forward deck
- **30.** Swim platform portable shower
- **31.** Twin cabins convertible to double sliding beds
- **32.** Additional safes 2 pcs each to the LD double guest cabins
- **33.** Garage curtain with yacht name M100
- 34. Privacy screen for aft cockpit area



GENERAL INFORMATION

The design and construction shall be strictly in accordance with the following specifications that describe the Standard Yacht Version.

Design, exterior styling, and interior design shall be performed by the Gulf Craft Inc as per the attached General Arrangement.

Any additional design requirements or any changes in Design or Technical to this Standard Specification shall be considered as a Variation and shall become part of Work Order.

Customer's Confirmation

HULL AND SUPERSTRUCTURE CONSTRUCTION

Reinforcements: Fiber Glass

Resin: Vinylester, Polyester

Core materials: Corecell (Marine Foam), Balsa Wood (Marine use), Marine Plywood

Construction Process

Combination of Hand-layup lamination and Resin Infusion process is employed. Hull and superstructure are laminated into female molds.

During construction process yacht is kept in clean conditions. All finished work is thoroughly protected. Particular attention is given to the covering of materials that could absorb impacts from tools, materials, and workers

Hazards associated with the handling of composite materials is minimized

Gel Coating

Isophthalic gelcoat with low styrene content is employed to create a suitable barrier to water to avoid hydrolysis and ultraviolet degradation. The formulation of gelcoat is for both brush and spray applications. Curing of the gelcoat is done at optimal temperatures using a catalyst recommended by gelcoat manufacturer

External lockers, storages, and FRP furniture is finished in white gelcoat

Finishing of the yacht is done in white gelcoat

Antifouling

Antifouling coating is applied to the hull to prevent growth of subaquatic organisms that may affect a yacht's performance and durability

5



SUPERSTRUCTURE

Sundeck

316L stainless steel railings

Sunbed with reclining headrest and cup holders

Skylights to owner's cabin

Upholstered sofa with storage and two teak tables

316L stainless steel fixed gate on starboard

Sliding door to sky lounge (Manual)

Bar counter with sink, teppanyaki, four bar stools and following appliances:

Under counter fridge

Ice maker

Foldable access ladder to hardtop

LED exterior lights

Teak decking

Self-draining

Foredeck

316L stainless steel railings

Aluminum foremast

Two 316L stainless steel deck cleats

Upholstered sofa with storage for fender buoys

Teak decking

Self-draining

Main Deck

316L stainless steel railings

Harken track for cleaning

Weather tight doors to galley passage and main lobby

Weather tight door to crew lounge

Sliding patio door (Manual)

Two electric fall-down balconies with 316L stainless steel rails



Stairway to sundeck on aft cockpit

Stairway to sundeck on gunnel starboard

Upholstered sofa with teak table on the aft cockpit

316L stainless steel transom doors

Two 316L stainless steel deck cleats

Teak decking

Self-draining

Swim Platform

Electrohydraulic garage door

Removable 316L stainless steel staple rails on swim platform

Swim Ladder

Teak decking



INTERIOR ARRANGEMENT

Accommodation Layout

The arrangements and cabin layouts shall be laid out and organized in accordance with the standard GA.

Majesty 100 has five guest cabins including the owner's cabin, two double guest cabins, and two twin guest cabins

Each guest cabin has an en-suite bathroom

Two crew cabins with en-suite bathrooms in the forward, and a captain's cabin with en-suite bathroom in the aft

Day head on the main deck

Lighting

LED dimmable interior lights

Wall lamps and reading lights in owner's and guest cabins

Reading lights in captain and crew cabins

Interior Finish

Main Veneer - Eucalyptus Frise, Semi-gloss finish (45%) Accent Veneer - Crown bark, Semi-gloss finish (45%)

Marble

Engineered Marble Calacatta Statuario (Interior) Engineered Marble Plain (Exterior)

Safe Locker

A safe locker with digital lock is provided inside wardrobe of owner's walk-in closet

Beddings

Owner's Cabin: Mattress protector, bottom sheet, duvets, pillows, cushions

VIP Cabin: Mattress protector, bottom sheet, duvets, pillows Guest Cabins: Mattress protector, bottom sheet, duvets, pillows

Sky Lounge

Stairway to wheelhouse

L shape sofa, one loose armchair, side table and coffee table

Vertical sliding windows



Round dining table with 4 chairs

Wooden floor

Wheelhouse

Main helm station

Captain's adjustable seat

L-shaped sofas

Chart table with drawer

Storage cabinets

Main Saloon

Loose furniture (three sofas, two side tables, two coffee tables, two armchairs)

Two side counters

TV counter with pop-up mechanism

Electric roman blinds with pleated blinds

Carpeted floor under seating area

Wooden floor

Dining Area

Dining table with glass top and 10 chairs

Lower counter tables with storage cabinets

Electric roman blinds with pleated blinds

Wooden floor

Passage Area – Port Side

Stairway to wheelhouse

Electrical room access

Fire rated door to main galley

Wine cooler

Wooden floor



Main Galley Countertop with twin bowl sink, mixer tap, and soap dispenser Overhead cabinets Under counter storage cabinets Two fridge-freezer combination Upright fridge Oven Dishwasher Four burner induction hobs Cooker hood Microwave Oven Ice maker Door to laundry area Pleated blinds Resilient tiles floor **Storage Area** Storage cabinets Door to main lobby Stairway to crew cabins Resilient tiles floor **Main Lobby** Stairway to guest lobby Luggage storage room Glass & crockery storage cabinet Door to owner's office Wooden floor

10

Washbasin with mixer tap

Day Head



Vanity mirror Electric toilet Sanitary accessories Pleated blinds Marble floor **Owner's Office** Vanity/working desk with doors and side seats Chair Electric roman blinds with pleated blinds Carpeted floor **Owner's Cabin** Double bed with side tables Counter with storage cabinets and drawers on starboard Under counter small fridge Fixed table on port Two loose armchairs Electric roman blinds with pleated blinds Carpeted floor **Owner's Walk-in Closet** Wardrobes, open-shelves, and drawers Carpeted floor Door to owner's bathroom **Owner's Bathroom** Twin washbasins with mixer tap Vanity mirrors with storage cabinet Electric toilet **Bidet**

Sanitary accessories



Glass door to shower room

Marble floor

Owner's Shower

Shower seat

Pleated blinds

Head and handheld showers

Sanitary accessories

Marble floor

Guest Lobby

Storage cabinet

Doors to double guest, and twin guest cabins

Wood flooring + rug

Double Guest Cabins

Double Bed with side tables, drawers, and storage

Wardrobe

Electric roman blinds with pleated blinds

Storage cabinets

Carpeted floor

Double Guest Bathrooms

Washbasin with mixer tap

Vanity with own storage

Vanity mirror with cabinet

Electric toilet

Marble floor

Sanitary accessories

Glass door to shower room



Double Guest Showers
Head and handheld showers
Marble floor
Sanitary accessories
Twin Guest Cabins
Two single beds with storage and nightstand
One pull man bed
Wardrobe
Electric roman blinds
Carpeted floor
Twin Guest Bathrooms
Washbasin with mixer tap
Vanity mirror
Electric toilet
Marble floor
Sanitary accessories
Glass door to shower room
Twin Guest Showers
Head and handheld showers
Marble floor
Sanitary accessories
Crew Lobby
Resilient tiles floor
Storage cabinets
Doors to crew cabins
Crew Cabins
Two bunk beds with nightstand



Wardrobe Pleated blinds Open shelves Resilient tiles floor **Crew Bathrooms** Washbasin with mixer tap Vanity mirror with cabinet Electric toilet Handheld showers Floor with teak grating **Crew Lounge** Twin bowl sinks with mixer tap Overhead cabinets Under counter drawers and storage cabinets Fridge-freezer combination Microwave Washing machine Upholstered sofa with coffee table Storage cabinet Pleated blinds Resilient tiles floor Captain's Cabin Single bed One pullman bed Wardrobe Pleated blinds Captain's Bathroom Washbasin with mixer tap



Vanity mirror with cabinet

Electric toilet

Captain's Shower

Handheld showers

Shower seat

Sanitary accessories

Floor with teak grating

Garage

Garage for owner's supplied dinghy

Teak decking

SUPPLY ITEMS

Retractable Boat Hooks

Eight Fenders F6, 11" x 42" by Polyform

Eight Fender ties, 4.5 meter, 10mm 3 strand, white

Basic tool kit

Portable Hose Reel

Two deck wash connectors

Exterior protection covers for sofas, windows, and windshield

Owner's Manual with Maintenance Schedule

Engines, machinery, and equipment manuals



MAIN MACHINERY AND EQUIPMENT

Propulsion System

Twin MAN V12-1900, 1874 HP, 1397 kW, 2300 RPM combined with SCR (Compliance to IMO Tier III)

Twin reverse reduction gearbox

Twin power take offs (P.T.O)

Twin five blade propellers

Interceptors

Electrically operated interceptors will be fitted on the transom. Interceptor system will be interconnected with the stabilizers for combined operation while sailing. Interceptors can be operated fully automatic or manual.

Exhaust and Ventilation System

Exhaust and ventilation reversible fans in engine room

Aluminum mist eliminator for the engine room

Fire dampers for the engine room

Automatic fire dampers for galley and engine room

Exhaust blowers in all bathrooms

Charcoal filters for black and grey vent pipes

Exhaust blowers in rudder compartment

Steering System & Maneuvering

Electro-hydraulic servo assisted steering system

Electric Fin Stabilizers with zero speed stabilization feature

Up to 65 HP hydraulic bow thruster

Control Stations

Main helm station

Docking Station

Emergency steering station

Docking Station

Throttle Control

Bow thruster joystick



Engine control panel

Horn switch

Yacht Controller

Yacht controller for remote control maneuvering of Engines and Bow thruster only

Emergency Steering

Steering Wheel

Rudder angle indicator

Heading Indicator

Anchoring and Mooring Equipment

Twin electric vertical windlasses with deck handheld controls

Two digital chain counters on the main helm station

Two 137Kg VHHP Pool TW type anchors with at least 110m length and 12.5mm diameter chain

Pressure washing of chain only with sea water

Twin 24V DC, 1200W capstans with foot switches

Mooring lines 3 nos. 70m length/each with eye at one end

Horn

Electric air horn with a single trumpet

Switches on main helm station and docking station

Search Light

Forward search light

Control panel on main helm station



YACHT SYSTEMS

Fuel System

4,000 US gallons (15,142 liters) FRP fuel tanks with interconnection

Main AC fuel transfer pump

Emergency DC fuel transfer pump

Deck fillers inside recessed lockers

316L stainless steel fuel transfer manifold

Lube Oil System

Manual lube oil pump

316L stainless steel lube oil manifold

Air Conditioning System

Air conditioning chiller units with the total cooling capacity around 306,900 BTU/hr for Mediterranean region and 409,200 BTU/hr for Middle east region

Two sea water pumps

Two chilled water circulation pumps

Fan coil units with capacities ranging from 6,800 to 34,100 BTU/hr

Fresh air system central air extraction with heat recovery

Fresh Water System

800 US gallons (3,028 liters) FRP freshwater tank

Two freshwater AC pumps, and an emergency DC pump

Two 150 liters water heaters

Two hot water circulation pumps

Water maker with 140 liters/hour production capacity

Deck wash connections on swim platform, anchor handling compartment, and sundeck

Transom shower with hot and cold water mixer

Dock connection for fresh water supply with pressure regulator

Windscreen wiper system



Grey Water System

200 US gallons (757 liters) FRP forward grey water tank

Deck out for overboard discharge to port/marina

Black and grey pumps interconnection

Polished 316L stainless steel scuppers on all decks

Black Water System

200 US gallons (757 liters) FRP forward black water tank

Deck out for overboard discharge to port/marina

Provision for sewage treatment plant

Electric toilets

Bilge System

Bilge suction strainers

Main Bilge pump connected to the Bilge manifold

Three electric submersible bilge pumps with the discharge capacity of 3,700 US gallons/hr

High water bilge alarm panel in the wheelhouse. The alarms are audible and visual

Bilge system piping is 316L stainless steel



ELECTRICAL SYSTEM

Line voltage: 230V-400V AC 3~phase, 50Hz

DC voltage: 24V

Twin 230/400V AC, 55 kW, 3~phase generators with load distribution

Dockside cable master system

Main switch board (400V, 3~phase, 50 Hz)

Galvanic Isolator

Four 16A smart battery chargers

Two 80A battery chargers

One 30A battery charger

Four 12V, 200AH batteries for engines

Four 12V, 200AH batteries for service and machinery

Four 12V, 100AH batteries for generators

Two 12V, 200AH batteries for emergency

Provision for two 12V, 165AH batteries for GMDSS

All accommodation and machinery spaces have 230V AC power outlets

NAVIGATION SYSTEM, RADIO & INSTRUMENTATION

Navigation & Radio System

Two 17" navigational displays

Magnetic compass

Two radar scanners

GPS system

Automatic Identification System (AIS)

Autopilot

VHF Radio with DSC

Provision for MF with DSC

Provision for NAVTEX

Rudder angle indicator

Provision for BNWAS

Night vision camera

Brass bell



Instrumentation

Two echo sounders for temperature, and depth measurement

Tank level monitoring system integrated with navigation display

Camera Monitoring System

CCTV camera monitoring system with dome cameras at the following locations

Sundeck

Aft Cockpit

Gunnel port and starboard

Engine room forward and aft

Cathodic Protection

Zinc anodes

Copper plates

Navigation Lights

Following navigation lights are installed:

Masthead light

Side light (Port)

Side light (Stbd)

Stern light

Anchor light

NUC light

Navigational shapes

Emergency Lighting

24V DC Emergency lights

Flood Lights

Two flood lights on hardtop aft

Two flood lights on sundeck aft

One flood light on the foremast

Underwater Lights

21



Ten LED white underwater lights

FIRE PREVENTION AND SAFETY EQUIPMENT

Structural Fire Protection

Structural fire protection B15 in the engine room

Fire Detection and Fire Alarm System

Fire Alarm panel

Smoke detectors

Heat detectors

Call points

Fire bells

Warning light

Fire Appliances

FM-200 fixed fire extinguishing system

Main Fire pump interconnected to the main bilge pump

Emergency diesel pump

02 Kg Dry powder fire extinguishers

06 Kg Dry powder fire extinguishers

Four fire hydrant supply points are provided with fire hose reel of 15m with jet spray nozzle on-

engine room and 18m with jet spray nozzle on sundeck, aft cockpit, and guest lobby

Sprinkler system and gas fume detection system in garage

International shore connection with isolation valve and fire hydrant

Fire Control Plan for the guidance of the Master and Crew of the yacht

Life Saving Appliances and Means of Escape

Four life rafts each with 09 persons capacity

Inflatable life jackets with light and whistle (18 adults)

Inflatable life jackets (02 child)

Immersion suits (18 adults)



Immersion suit (02 child)

Two lifebuoys with light and smoke

Two lifebuoys with line

Two lifebuoys with light

One set of line throwing appliances

Six rocket parachute flares

Emergency position indicating radio beacon

Search and rescue transponder

Grab bag

First aid kit

One fire blanket in galley



ENTERTAINMENT SYSTEM

Satellite Entertainment TV System.

Two domes on hard top, one with the antenna, and other one as dummy

Sky Lounge

55" LED TV with swivel mechanism

Four ceiling speakers

Apple TV 4K, 32GB

Satellite receiver

Indoor access point

Media hub

Sun Deck Forward

Two on-wall speakers

Outdoor access point

Sun Deck Aft

Two ceiling speakers

Two wall mounted speakers

Aft Cockpit

Four ceiling speakers

Main Saloon and Dining Area

55" LED TV with pop-up mechanism

Four ceiling speakers

Apple TV 4K, 32GB

Satellite receiver

Indoor access point

Media hub

Main Lobby

Indoor access point



Owner's Cabin 55" LED TV Two ceiling speakers Apple TV 4K, 32GB Satellite receiver Indoor access point Media hub **Guest Lobby** Indoor access point **Double Guest Cabin (Port & Starboard)** 40" LED TV Apple TV 4K, 32GB Two ceiling speakers Satellite receiver Media hub **Twin Guest Cabin (Port & Starboard)** 40" LED TV Apple TV 4K, 32GB Two ceiling speakers Satellite receiver Media hub **Crew Lounge** 24" LED TV Satellite receiver Wheelhouse Two ceiling speakers Stereo system **Server Rack Equipment** Amplifier for music control



4 TB Storage device

Network switching devices

Gateway Router

HDMI splitter

HDMI Extender

Music Zone amplifiers

Uninterrupted power supply

Network Rack

iPad mini4 (32 GB) one for music control app