



NOMAD 70suv

Standard Specifications & Optional Features

The content of this document is the property of Gulf Craft
It is supplied in confidence and its contents must be maintained
It must not be reproduced, modified, and must not be used for any purpose other than that for which it is supplied, nor
information contained be disclosed to unauthorized persons
Requests for reproduction of any data in this document must be addressed to the copyright owners of Gulf Craft
© Gulf Craft Inc 2022. All Rights Reserved

MAIN CHARACTERISTICS

DIMENSIONS

	Feet-In	Meters
Length Overall	70' - 5"	21.50
Length Water Line	62' - 6"	19.08
Draft	4' - 8"	1.43
Beam	18' - 2"	5.54
Air Draft	24' - 5"	7.46

DESIGN

Hull Type	Mono Hull
Hull Material	Fiber Reinforced Plastics (FRP)
Superstructure Material	Fiber Reinforced Plastics (FRP)
Yacht Type	Motor Yacht
Number of Guests + Crew	10+02
Displacement	45 tons
Certification	CE
Notified Body	RINA
Design Category	CATEGORY B

TANK CAPACITIES

	US. Gallons	Liters
Main Fuel Tank Capacity	1,776	6722
Fresh Water Capacity	250	946
Black Water Capacity	90	340
Grey Water Capacity	90	340

MACHINERY

Engines	Twin MAN I6-800, 800HP
Generator	28kW, 230V AC, 50 Hz, 1~phase
Electrical Power System	230V AC, 50Hz, 1~phase, 24V DC

PERFORMANCE

Top Speed	30 knots*
------------------	-----------

*Speed estimate may vary depending on cleanliness of hull, and sea conditions.

NOMAD 70suv OPTIONS

1. Twin MAN V8-1200, 1200 HP, 882 kW, 2300 rpm
2. Teak decking on flybridge
3. Night vision camera
4. CCTV camera monitoring system consisting of three cameras
5. Satellite phone
6. Eight white LED underwater lights
7. Remote control maneuvering (Engine & Bow Thruster)
8. Electric fin stabilizer or Gyro stabilizer
9. Tender lift with 600kg lifting capacity
10. Water maker with production capacity of 140 liters per hour
11. Wind speed transducer
12. Satellite entertainment TV System with single dome on hard top
13. Ice Maker
14. Dishwasher in galley

GENERAL INFORMATION

The design and construction shall be strictly in accordance with the following specifications that describe the Standard Yacht Version.

Design, exterior styling, and interior design shall be performed by the Gulf Craft Inc as per the attached General Arrangement.

Any additional design requirements or any changes in Design or Technical to this Standard Specification shall be considered as a Variation and shall become part of Work Order.

[Customer's Confirmation](#)

HULL AND SUPERSTRUCTURE CONSTRUCTION

Reinforcements: Fiber glass, carbon fiber

Resin: Vinylester

Core materials: Corecell (marine foam), balsa wood (marine use)

Construction Process

Hand-layup lamination process is employed. Hull and superstructure are laminated into female molds

During construction process yacht is kept in clean conditions. All finished work is thoroughly protected. Particular attention is given to the covering of materials that could absorb impacts from tools, materials, and workers

Hazards associated with the handling of composite materials are minimized

Gel Coating

External lockers, storages, and FRP furniture are finished in white gelcoat

Finishing of the yacht is done in white gelcoat

Antifouling

Antifouling coating is applied to the hull to prevent growth of subaquatic organisms that may affect a yacht's performance and durability.

SUPERSTRUCTURE

Flybridge

AISI 316L stainless steel railings
Manual sliding patio door to sky lounge
Countertop with washing sink, and BBQ grill on port
LED deck lights
Non-skid floor
Self-draining

Main Deck

AISI 316L stainless steel railings
Two AISI 316L stainless steel fairleads with cleats on forward
Two AISI 316L stainless steel fairleads with cleats on amidships
Two AISI 316L stainless steel fairleads with rollers on aft cockpit
Two AISI 316L stainless steel cleats on aft cockpit
Escape hatch from VIP guest cabin
Upholstered sofa with dining table at bow area
Manual sliding patio door
Stairway to flybridge with teak steps on port
Upholstered sofa with dining table at cockpit
AISI 316L stainless steel transom doors
LED deck lights
Self-draining
Teak decking

INTERIOR ARRANGEMENT

Accommodation

The arrangements and cabin layouts shall be laid out and organized in accordance with the standard GA

Nomad 70suv has an owner cabin, four guest cabins, and two crew cabins in the aft

Owner cabin and guest cabins have en-suite bathrooms.

Lighting

LED interior lights

Wall lamps in owner cabins, and guest cabins

Reading lights in crew cabin

Interior Finish

Sand oak, closed grain, 0% gloss matt finish

Dark grey oak, closed grain, 0% gloss matt finish

Floorings

Parquet - Multi layer oak

Resilient tiles – Vinyl

Solid surface – Cameo white

Carpet

Beddings

Owner Cabins: Mattress protector, bottom sheet, duvets, pillowcase, cushions

VIP Cabin: Mattress protector, bottom sheet, duvets, pillowcase, cushions

Guest Cabin: Mattress protector, bottom sheet, duvets, pillowcase, cushions

Flybridge

Sky Lounge

Main helm station

Adjustable captain's seat

Sofa with coffee table

Stairway down to main deck pantry

Sliding door to flybridge deck

Roman blinds

Combination of wooden and carpet flooring differentiating main helm control station and the sky lounge

Main Deck

Main Saloon

Sofas with side table on port

Coffee table

Sofa with side tables on starboard

Roman blinds

Carpeted floor

Pantry

Solid surface countertop with sink and mixer tap

Overhead storage cabinets

Undercounter storage cabinets

Two burner electric hob

Fridge freezer combination

Microwave oven

Sofa with dining table on starboard

Pleated blinds

Weathertight doors to galley passage

Door to main deck owner's cabin

Stairway to guest lobby

Wooden floor

Main Deck Owner's Cabin

Double bed with side tables

Vanity table with chair on port

Wardrobes

Small fridge

A safe locker with digital lock is provided inside PORT side wardrobe

Pleated blinds

Carpeted floor

Main Deck Owner's Bathroom

Solid surface countertop with wash basin and mixer tap

Vanity mirror

Storage shelves and drawers

Wardrobe

Electric toilet

Glass door to shower

Roller blinds

Sanitary accessories

Main Deck Owner's Shower

Head shower

Shower seat

Niche

Sanitary accessories

Teak grating on floor

Lower Deck

Guest Lobby

Doors to guest cabins

Washing machine

Storage shelves

Wooden floor

Double Guest Cabin

Double bed with side tables

Storage shelves and drawers

Wardrobe

Portlights with roman blinds

Door to bathroom

Carpeted floor

Double Guest Bathroom

Solid surface countertop with washbasin and mixer tap

Vanity mirror

Glass door to shower

Electric toilet

Sanitary accessories

Handheld shower

Shower seat

Teak grating on shower floor

Port Twin Guest Cabin

Two single beds convertible to double bed with center table

Wardrobe

Portlights with roman blinds

Door to bathroom

Carpeted floor

Port Twin Guest Bathroom

Solid surface countertop with washbasin and mixer tap

Vanity mirror with cabinet

Electric toilet

STBD Twin Guest Cabin

Two single beds convertible to double bed with center table

Wardrobe

Portlights with roman blinds

Door to bathroom

Carpeted floor

STBD Twin Guest Bathroom

Solid surface countertop with washbasin and mixer tap

Vanity mirror with cabinet

Electric toilet
Handheld shower
Sanitary accessories
Teak grating

VIP Guest Cabin

Double bed with side tables
Hatch with fly screen and blind
Wardrobe
Storage cabinet
Roman blinds
Door to bathroom
Carpeted floor

VIP Guest Bathroom

Solid surface countertop with washbasin and mixer tap
Vanity mirror
Electric toilet
Glass door to shower
Sanitary accessories
Roller blinds

VIP Guest Shower

Shower seat
Handheld shower
Sanitary accessories
Teak grating on floor

Crew Galley

Solid surface countertop with bowl sink and mixer tap
Overhead cabinets
Four burner induction hob
Range hood

Fridge-freezer combination

Door to crew cabins

Day head

Watertight door to engine room

Removable ladder to swim platform

Portlight with pleated blinds

Resilient tiles floor

Day head

Solid surface countertop with washbasin and mixer tap

Vanity mirror

Electric toilet

Sanitary accessories

Solid surface floor

Captain Cabin

Single bed

Wardrobe

Portlight with pleated blinds

Resilient tiles floor

Crew Cabin

Bunk bed

Wardrobe

Portlight with pleated blinds

Resilient tiles floor

MAIN MACHINERY AND EQUIPMENT

Propulsion System

Twin MAN I6-800, 800HP

Twin five blade propellers

Interceptor

Electrically operated interceptors will be fitted on the transom. Interceptors can be operated in automatic or manual mode.

Exhaust and Ventilation

Twin exhaust fans in the engine room for forced ventilation

Mist/moisture eliminators for exhaust fan

Exhaust blowers in bathrooms and galleys

Steering & Maneuvering

Electro-hydraulic steering gear

Smart pump for Autopilot

12 kW (16 HP) electric bow thruster

Control Stations

Main helm station

Docking station

Anchoring and Mooring Equipment

Electric anchor winch 24V DC

Twin 24V DC 1200W Capstans

50kg claw type anchor and 10 mm diameter chain of 100 m length

Watertight hatch cover for access to anchor handling equipment

Horn

Electric air horn fitted on hardtop

Search Light

Forward search light fitted on hard top

Cathodic Protection

Zinc anodes are bonded on the stern

SUPPLY ITEMS

Two Boat hooks

Six Fenders F6, 11" x 42" White

Six Fender ties, 4.5 meter, 10mm 3 strand, black

Tool kit

Deck wash connector

Exterior protection covers for exterior sofas, windows, and windshield

Owner's Manual with maintenance schedule

Engines, machinery, and equipment manuals

YACHT SYSTEMS

Fuel System

1776 US Gallons (6722 liters) capacity FRP fuel tank.

Fuel to engines, and generator is supplied through day tank

Deck fillers on port and starboard gunwale

AISI 316L stainless steel fuel distribution manifold and piping

Lube Oil System

Electric 24V DC oil change pump

Air Conditioning System

Air conditioning chillers with the total cooling capacity of 144,000 BTU/h

Two sea water intake pumps

Two chilled water circulation pumps

Air handler units in all accommodation areas with capacities ranging from 4500 to 24000 BTU/h

Fresh Water System

250 US gallons (946 liters) FRP freshwater tank

Main fresh water 24V DC pump

50 liters water heater

Deck wash pump 24V DC and deck wash connections on swim platform and anchor chain compartment

Dock connection for fresh water supply with pressure regulator on the swim platform

Stainless steel deck filler for fresh water

Transom shower

Fresh water system is provided for the wipers washer system

Grey Water System

90 US gallons (340 liters) FRP grey water tank

Grey water macerator pump 24V DC for discharging grey water tank

Black Water System

90 US gallons (340 liters) FRP black water tank

Electric toilets with automatic operation provided in all bathrooms

Black water macerator pumps 24V DC for discharging black water tank

Deck out stainless steel fitting for overboard discharge to port/marina

Bilge System

8 nos of electric, main and emergency submersible bilge pumps of 1100 gallons/hour capacity in all watertight compartments .

High water alarm sensors with automatic float switches

Bilge alarm panel with pump operating switches in wheelhouse

ELECTRICAL SYSTEM

Line voltage: 230V AC 1~phase, 50 Hz

DC Voltage: 24V

28 kW diesel generator

Shore power supply connector is on starboard provided with 25 m electrical cable

Galvanic isolator 60A

Two 16A , 24V battery chargers for charging engine batteries

15A , 12V battery charger for charging generator batteries

100A battery charger for charging machinery and service batteries

Four 12V, 160AH gel batteries for engines

Single 12V, 110AH gel battery for generator

Four 12V, 220AH gel batteries for machinery and service.

All accommodation and machinery spaces have 230V AC power outlets

NAVIGATION SYSTEM

Radar Scanner

VHF Radio system

Global positioning system

Main Helm Station

Two 16" multi touch displays for chart plotting

Magnetic Compass

Autopilot display

Instrument display

Rudder angle indicator

Engine display and control panels

Steering wheel, control panel and joystick

Bow thruster control joystick

Wiper control panel

Search light control panel with selector switch

Throttle Control

VHF Radio control unit

Engine room fans control panel

Anchor winch control switch panel

Navigation lights, anchor lights, instrument lights, wheelhouse lights, underwater light, horn, black, and grey pump switches panel

USB charging port

Card Reader

Instrumentation

Depth and Temperature thru hull transducer

Tanks level monitoring system integrated with navigation display

Navigation Lights

Following navigation lights are installed:

Masthead light

Side light (Port)

Side light (Stbd)

Stern light

Anchor light

NUC light

Flood Lights

Two flood lights on hardtop aft

Two flood lights on flybridge deck aft

FIRE PREVENTION AND SAFETY EQUIPMENT

Structural Fire Protection

Structural fire protection in the engine room

Fire Detection and Fire Alarm System

Fire alarm panel

Smoke detectors

Heat detectors

Fire bell

Fire Appliances

FM-200 fixed fire extinguisher

02 kg ABC powder fire extinguishers

Fire blanket

Life Saving Appliances

Two Life rafts, each with the capacity of 8 persons

Foam life jackets for 10 persons

First aid kit

Two plain life buoys

ENTERTAINMENT SYSTEM

Main Saloon

43" LED TV
Media hub
Soundbar
Wireless bass module
Surround speakers

Owner's Cabin

32" LED TV
Media hub

Sky Lounge

43" LED TV
Media hub
Soundbar

Wheelhouse

Stereo system
Two speakers driven by wheelhouse stereo system

Aft Cockpit

Two speakers driven by wheelhouse stereo system

Flybridge

Two speakers driven by wheelhouse stereo system